

<b>Patient Name</b> SAMPLEREPORT,AMIKR N	<b>Patient ID</b> SA00059736	<b>Age</b> 47	<b>Gender</b> F	<b>Order #</b> SA00059736
<b>Ordering Phys</b> CLIENT,CLIENT				<b>DOB</b> 06/10/1966
<b>Client Order #</b> SA00059736	<b>Account Information</b>		<b>Report Notes</b>	
<b>Collected</b> 07/08/2013 00:00	C7028846-DLMP Rochester 3050 Superior Drive Rochester, MN 55901			
<b>Printed</b> 07/09/2013 08:31				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Amikacin, Random, S		28.1	mcg/mL		MCR
RECEIVED: 07/09/2013 08:07 REPORTED: 07/09/2013 08:09					
-- REFERENCE VALUE --					
<8.0 (Trough), 20.0 - 35.0 (Peak)					

\* Performing Site:

MCR	Mayo Clinic Laboratories - Rochester Main Campus 200 First St SW Rochester, MN 55905	Lab Director:
-----	---	---------------

<b>Patient Name</b> SAMPLEREPORT,AMIKR N	<b>Collection Date and Time</b> 07/08/2013 00:00	<b>Report Status</b> Final
Page 1 of 1		** End of Report **

\* Report times for Mayo performed tests are CST/CDT