

Patient Name SAMPLEREPORT,FHST	Patient ID SA00062891	Age 47	Gender F	Order # SA00062891
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00062891	Account Information			Report Notes
Collected 10/01/2013 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 10/02/2013 13:19				

Test	Flag	Results	Unit	Reference Value	Perform Site*
MVista Histoplasma Antigen					
RECEIVED: 10/02/2013 12:23 REPORTED: 10/02/2013 12:23					
Specimen Type		Pleural fluid			Y07 6
Result		None Detected	ng/mL		Y07 6
Interpretation		Negative			Y07 6
Reference interval: None Detected					
Results reported as ng/mL in 0.4 - 19 ng/mL					
Results above the limit of detection but below 0.4 ng/mL are reported as 'Positive, Below the Limit of Quantification'					
Results above 19 ng/mL are reported as 'Positive, Above the Limit of Quantification'					

* Performing Site:

Y076	MiraVista Diagnostics 4705 Decatur Blvd. Indianapolis, IN 46241	Lab Director:
------	--	---------------

Patient Name SAMPLEREPORT,FHST	Collection Date and Time 10/01/2013 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT