

Patient Name SAMPLEREPORT,FSRA NORM	Patient ID SA00065550	Age 39	Gender F	Order # SA00065550
Ordering Phys CLIENT,CLIENT				DOB 05/16/1974
Client Order # SA00065550	Account Information			Report Notes
Collected 02/06/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 03/27/2014 08:27				

Test	Flag	Results	Unit	Reference Value	Perform Site*
SRA, LMWH					
RECEIVED: 02/07/2014 11:56 REPORTED: 03/03/2014 14:29					
LMWH SRA Result		NEGATIVE		NEGATIVE	Y09 6
LMWH Low Dose, 0.1 U/mL		0	% release		Y09 6
LMWH Low Dose, 1.0 U/mL		0	% release		Y09 6
LMWH High Dose, 50 U/mL		0	% release		Y09 6

A sample is considered negative if there is:
<20% release.

<http://education.questdiagnostics.com/faq/FAQ06v1>

This test was developed and its performance characteristics have been determined by Quest Diagnostics Nichols Institute, San Juan Capistrano. Performance characteristics refer to the analytical performance of the test.

* Performing Site:

Y096	Quest Diagnostics Nichols Institute 33608 Ortega Highway San Juan Capistrano, CA 92690-6130	Lab Director:
------	--	---------------

Patient Name SAMPLEREPORT,FSRA NORM	Collection Date and Time 02/06/2014 00:00	Report Status Final
Page 1 of 1	** Reprinted **	** End of Report **

* Report times for Mayo performed tests are CST/CDT