

Patient Name SAMPLEREPORT,CHSUP	Patient ID SA00067277	Age 47	Gender F	Order # SA00067277
Ordering Phys CLIENT,CLIENT				DOB 06/10/1966
Client Order # SA00067277	Account Information			Report Notes
Collected 05/01/2014 00:00	C7028846-DLMP Rochester SDSC 2 - Client Support Rochester, MN 55901			
Printed 05/02/2014 09:25				

Test	Flag	Results	Unit	Reference Value	Perform Site*
Chronic Hepatitis Prof (Unknown)					
HBs Antigen, S	AB	Reactive		Negative	SDL
HBsAg screen is reactive. S/CO ratio is >=1 but <=50. Confirmatory test is required.					
HBs Antibody, S		Indeterminate			SDL
Unable to determine if anti-HBs is present at levels consistent with immunity. Patient's immune status should be further assessed by considering other clinical information or repeat testing in 1 to 3 months. -- REFERENCE VALUE -- Unvaccinated: Negative Vaccinated: Positive					
HBs Antibody, Quantitative, S		6.0	mIU/mL		SDL
-- REFERENCE VALUE -- Unvaccinated: <5.0 Vaccinated: >=12.0					
HBc Total Ab, S	AB	Positive		Negative	SDL
If clinically indicated, testing for Hepatitis B Core IgM antibody is necessary to differentiate between acute and past HBV infection.					
HCV Ab Screen, S	AB	Reactive		Negative	SDL
Supplemental testing for HCV RNA is recommended to rule out active HCV infection. Signal-to-cutoff ratio is >=1.00 and <8.00.					
RECEIVED: 05/02/2014 09:07 REPORTED: 05/02/2014 09:07					
HBs Antigen Confirmation, S	AB	Positive		Negative	SDL
HBsAg screen was confirmed by neutralization.					
RECEIVED: 05/02/2014 09:07 REPORTED: 05/02/2014 09:14					

* Performing Site:

SDL	Mayo Clinic Laboratories - Rochester Superior Drive 3050 Superior Dr. NW Rochester, MN 55901	Lab Director:
-----	---	---------------

Patient Name SAMPLEREPORT,CHSUP	Collection Date and Time 05/01/2014 00:00	Report Status Final
Page 1 of 1		** End of Report **

* Report times for Mayo performed tests are CST/CDT